	sday, 19/06/2008 9:53:37 AM Lecoeq	Process Sheet	6 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Colit
Customer Job Number	: CU-DAR001 Dart Helicopters Services : 39948	Drawing Name	: BEARING ASSEMBLY	81
Estimate Number P.O. Number This Issue Prsht Rev. First Issue Previous Run	: 10716 : : 19/06/2008 S.O. No. : : NC : // Type : MACHINED PA : 39226	Part Number Drawing Number Project Number RTS Drawing Revision Material	: D3121241 : D3121 REV E : N/A : E	40
Written By Checked & Approv Comment	: Est Rev:B ECN 1060 07-11-12	KJ/DS	: 30/06/2008 <b>Qty</b> :	.40 Um: Each
Additional Product	t			
Job Number:				
Seq. #:	Machine Or Operation:	Description :		
1.0	MDELRINR12500	DELRIN ROUND BAR 1.25*		
Comm	Material: Ø1.25 Delrin Rod (M-DELRIN-R1.2500)Identify as D3121- Batch: 10.27756	mm= 08/00/24		
2.0	HARDINGE	HARDINGE CNC LATHE SMALL		
Comm	ent: HARDINGE CNC LATHE SMALL			
	1-Turn D3121-25 Cap as per Folio FA38	1 .   .		DA S
3.0	2-Deburr QC2	INSPECT PARTS AS THEY COME	OFF MACHINE	10()
Comm	ent: INSPECT PARTS AS THEY COME OFF	MACHINE		100
4.0	QC8	SECOND CHECK		
Comm	ent: SECOND CHECK	The 00/06/23		100
5.0	D312123	Bearing		
			118811188111881	
Comm	ent: Qty.: 1.0000 Each(s)/Unit Total: Pick: Qty Part Number Description E	40.0000 Each(s)	1100110011001	

Page 1

Time Lecocq **Process Sheet** Drawing Name: BEARING ASSEMBLY ustomer: CU-DAR001 Dart Helicopters Services Part Number: 03121241 Job Number: 39948 Job Number: Description: Seq. #: Machine Or Operation: SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 6.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Press D3121-23 Bearing into D3121-25 Cap as per Dwg D3121 INSPECT WORK TO CURRENT STEP 7.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 8.0

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:\_

QC21

FINAL INSPECTION/W/O RELEAS

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

9.0



MUF 08-09-3

DART AEROSPACE LTD	Work Order:	59948
Description: Cap	Part Number:	D3121-25
Inspection Dwg: D3121 Rev: E		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST


	x	First Ar	ticle	Prot	otype
Drawing	Tolerance	Actual	Accept	Reject	Method


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.315	+/-0.010	·315	1			
Ø1.000	+/-0.010	Ø .999	1			
Ø0.838	+/-0.002	8538	/_			
R0.063	+/-0.010	2.063	1			
R0.010	+/-0.010	8.010	į į			
0.230	+/-0.001	266.				
Ø0.865	+/-0.001	x 865	J			
	58					

Measured by: MA	Audited by:	-m2	Prototype Approval:	N/A
Date: 00 00 73	- In the contract of the second of	08/06/22	Date:	N/A

D	Date	Change	Revised by	Approved
Rev		(5)(0,50404,044)	KJ/RF	
		14011 10000	KJ/JLM , A	188
В	06.06.09	Ø1.000 diameter was Ø1.024	KJ/EC/DD	N
C	08.01.16	Dwg Rev. updated	K3/EC/DLE	-









## D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015




### D3121-19 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM 1) MATERIAL: DELRIN ROD, Ø1.25 FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES




#### D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- NONE FINISH:
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



## D3121-25 CAP (SCALE 1:1)

- (REF DART SPEC. M-DELRIN-R1.250)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES



- 1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z
  - OR KML P/N 6900-ZZ

D3121-241 BEARING ASSEBLY (SCALE 1:1)

DIMENSIONS ARE IN INCHES

Copyright @ 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.